

## G-CSF/ CSF3 (C-6His), Mouse, Recombinant

货号：PCK041

### 产品信息

别名	Granulocyte colony-stimulating factor; Csf3; G-CSF
物种	Mouse
表达宿主	Human Cells
序列信息	Val31-Ala208
检索号	P09920
分子量	19.8 kDa
标签	C-6His

### 产品特性

纯度	>95% as determined by reducing SDS-PAGE.
内毒素	<1.0 EU per µg as determined by LAL test.
保存	Lyophilized protein should be stored at -5~-20°C, stable for one year after receipt. Reconstituted protein solution can be stored at 2-8°C for 2-7 days. Aliquots of reconstituted samples are stable at -5~-20°C for 3 months.
运输	Ambient temperature or ice pack.
制剂	Lyophilized from a 0.2 µm filtered solution of 10mM Sodium Citrate, 0.1% Tween 20, pH 3.5.



## 复融

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

## 背景介绍

Granulocyte colony-stimulating factor (G-CSF) is a Growth Factor and an essential Cytokine which belongs to the IL-6 superfamily. Granulocyte/ macrophage colony-stimulating factors are Cytokines that act in hematopoiesis by controlling the production, differentiation, and function of 2 related white cell populations of the blood, the granulocytes and the monocytes-macrophages. G-CSF binding to its Receptor G-CSF-R which belongs to the Cytokine Receptor type I family depends on the interaction of alpha-helical Motifs of the former and two fibronectin type III as well as an immunoglobulin-like domain of the latter. G-CSF is a Cytokine that have been demonstrated to improve cardiac function and perfusion in myocardial infarction. And it was initially evaluated as a stem cell mobilizer and erythropoietin as a cytoprotective agent.

## SDS-PAGE

