

Flt-3L/ Flt3LG (C-Fc), Mouse, Recombinant

货号：PCK095

产品信息

别名	Fms-related tyrosine kinase 3 Ligand (Flt3L); SL Cytokine; Flt3 Ligand
物种	Mouse
表达宿主	Human Cells
序列信息	Gly27-Arg188
检索号	P49772
分子量	45.5 kDa
标签	C-Fc

产品特性

纯度	>95% as determined by reducing SDS-PAGE.
内毒素	<1.0 EU per µg as determined by LAL test.
保存	Lyophilized protein should be stored at -5~-20°C, stable for one year after receipt. Reconstituted protein solution can be stored at 2-8°C for 2-7 days. Aliquots of reconstituted samples are stable at -5~-20°C for 3 months.
运输	Ambient temperature or ice pack.
制剂	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.



复融

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

背景介绍

Fms-related tyrosine kinase 3 Ligand (Flt3L) is a single-pass type I membrane Protein and consists of 232 amino acids. Flt3L is a hematopoietic four helical bundle Cytokine, structurally homologous to stem cell factor and colony stimulating factor. Flt3L synergizes well with a number of other colony stimulating factors and Interleukins. Flt3L stimulates the proliferation and differentiation of various blood cell progenitors by activating FLT3.

SDS-PAGE

